M

	Application No.	Applicant(s)
Notice of Allowability	10/005,807 Examiner	JOSEPH TING ET AL. Art Unit
	Amare Mengistu	2673
The MAILING DATE of this communication apperature All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIOF of the Office or upon petition by the applicant. See 37 CFR 1.313	ears on the cover sheet with the (OR REMAINS) CLOSED in this or other appropriate communical GHTS. This application is subjection	ne correspondence address s application. If not included ation will be mailed in due course. THIS
2. X The allowed claim(s) is/are 1-18, now renumbered as clain	ns 1-6.8-13.7.14-18.	
3. The drawings filed on <u>05 December 2001</u> are accepted by		
4. Acknowledgment is made of a claim for foreign priority ur a) All b) Some* c) None of the: 1. Certified copies of the priority documents have 2. Certified copies of the priority documents have 3. Copies of the certified copies of the priority documents have International Bureau (PCT Rule 17.2(a)). * Certified copies not received: Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONM THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.	e been received. e been received in Application No cuments have been received in of this communication to file a re	o this national stage application from the
5. A SUBSTITUTE OATH OR DECLARATION must be subm INFORMAL PATENT APPLICATION (PTO-152) which give		
 CORRECTED DRAWINGS (as "replacement sheets") must (a) including changes required by the Notice of Draftspers 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in the sheet. DEPOSIT OF and/or INFORMATION about the depoattached Examiner's comment regarding REQUIREMENT. 	son's Patent Drawing Review (P s Amendment / Comment or in the dialogn of the header according to 37 CFR 1. sit of BIOLOGICAL MATERIA	he Office action of rawings in the front (not the back) of 121(d). AL must be submitted. Note the
Attachment(s) 1. ☑ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 4. ☐ Examiner's Comment Regarding Requirement for Deposit	6. ☐ Interview Summ Paper No./Mail 8), 7. ⊠ Examiner's Ame	Date
of Biological Material	9. [] Other	America Mangletu Amare Mongletu Primary Examiner

DETAILED ACTION

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Stephen B. Ackerman on April 4,2005.

The application has been amended as follows:

In claim 1, line 5 after the word panel change ". "- - to - - ", "

Line 7 after the word line change "."- - to - - ","

In claim 4, line 3 after the phrase normal vertical change "sync" - - to - - "synchronization".

Allowable Subject Matter

- 2. Claims 1-18 are allowed.
- 3. The following is an examiner's statement of reasons for allowance: the prior art has failed to teach applicant's claimed invention "transferring an even line to line buffers, transferring the output of said line buffers to an input of LCD panel drivers of an upper half portion within the LCD panel, skipping an LCD vertical synchronization pulse at the end of a display within said even image lines transferring off image lines to line buffers, transferring the output of said line buffers to the input of the LCD panel drivers

Application/Control Number: 10/005,807 Page 3

Art Unit: 2673

of a lower half portion within the LCD panel, blanking the data of said odd image of said lower portion of the LCD screen." And "skipping on vertical synchronization pulse every two normal vertical synchronization time periods, displaying the even lines of the source image, blanking the lower portion of the LCD image and shifting the vertical synchronization pulse in order to shift the LCD image to the center of the LCD displayable area".

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Amare Mengistu whose telephone number is (571) 272-7674. The examiner can normally be reached on M-F,T-F.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Bipin Shalwala can be reached on (571) 272-7681. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Art Unit: 2673

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Amare Mengistu

Primary Examiner

Art Unit 2673

AM

4/1/2005